### NASA TECHNICAL MEMORANDUM

NASA TM X- 64600



# AN ALGORITHM FOR SOLVING THE POPOV CRITERION APPLIED TO SAMPLED DATA SYSTEMS

By S. M. Seltzer Astrionics Laboratory

April 2, 1971

#### NASA

George C. Marshall Space Flight Center Marshall Space Flight Center, Alabama

	Т	ECHNICAL	REPORT STANDA	RD TITLE PAGE
1. REPORT NO. NASA TM X-64600	2. GOVERNMENT ACCESSION NO.		3. RECIPIENT'S CAT	ALOG NO.
4. TITLE AND SUBTITLE			5. REPORT DATE	
An Algorithm for Solving the Po	poov Criterion Applied to S	ampled	April 2, 1971	
Data Systems	po. Clication aspendents a	F	6. PERFORMING ORG	ANIZATION CODE
7. AUTHOR (S)			8. PERFORMING ORGA	NIZATION REPORT #
9. PERFORMING ORGANIZATION NAME AND			10. WORK UNIT NO.	
George C. Marshall Space Flig		ŀ	11. CONTRACT OR GR	ANT NO.
Marshall Space Flight Center,	Alabama 35812		,,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		<b>†</b>	13. TYPE OF REPORT	& PERIOD COVERED
12. SPONSORING AGENCY NAME AND ADDRE	SS			
NT-time! Assessmentian and Cross	A durini atration		Technical Men	norand <b>u</b> m
National Aeronautics and Space	Administration			
Washington, D. C. 20546			14. SPONSORING AG	ENCY CODE
15. SUPPLEMENTARY NOTES				
Prepared by Astrionics Labora	tory. Science and Engineer	ing		
Tioparoa of Transcript Tanora		J		
16. ABSTRACT		-		
	provided for analytically			
polynomials defining the numer representing the linear part of		e z-trans	form of the tran	ster function
17. KEY WORDS Stability analysis Nonlinear stability theory Popov criterion Sampled data theory	STAR	Announc	ement	
19. SECURITY CLASSIF, (of this report)	20. SECURITY CLASSIF, (of this	) Hy	21. NO. OF PAGES	22. PRICE
Unclassified	Unclassified		35	\$3.00
	Oliciassilica			¥3, 00

## TABLE OF CONTENTS

		Page
SUMMA	RY	1
INTROD	OUCTION	1
DESCRI	PTION OF PROPOSED ALGORITHM	2
DERIVA	TION	4
EXAMP	LE	6
CONCL	USION	7
APPENI	DIX A: DERIVATION OF RECURSION RELATIONSHIP	9
APPENI	DIX B: DIGITAL COMPUTER PROGRAM DESCRIPTION	11
REFERI	ENCES	30
	LIST OF ILLUSTRATIONS	
Figure	Title	Page
1.	Model of class of nonlinear sampled data systems	2
2.	Digital computer logic diagram	5
3.	Model of integral-control servo system	6
	LIST OF TABLES	
Table	Title	Page
1.	Transfer Function Coefficients for Integral-Control Servo System	7
2.	Stability Limit on K	7

# AN ALGORITHM FOR SOLVING THE POPOV<sup>1</sup> CRITERION APPLIED TO SAMPLED DATA SYSTEMS

#### SUMMARY

A systematic means is provided for analytically solving the Popov stability criterion that was developed by Tsypkin [1] for application to sampled data systems. It is developed in a manner that is amenable to solution by a digital computer, regardless of the order of the polynomials defining the numerator and denominator of the z-transform of the transfer function representing the linear part of the plant.

#### INTRODUCTION

Lindorff [2] has presented a derivation of Popov's stability criterion applied to sampled data systems which follows the development prepared by Tsypkin [1]. It provides a criterion for establishing sufficient conditions for absolute stability of a class of nonlinear sampled data systems described in Figure 1. The system must be capable of being separated into a single-valued nonlinearity represented by  $\phi(\cdot)$  and a linear plant represented by G(s). If this system meets the conditions,

$$\phi(0) = 0 \quad , \tag{1}$$

$$K > \frac{\phi(\sigma)}{\sigma} > 0 \text{ for } \sigma \neq 0$$
 , (2)

and G(s) represents a stable plant with at most one free integrator, then the Tsypkin version of the Popov stability criterion is met if

$$\operatorname{Re}\left\{G(z) \middle|_{z=e} i\omega T\right\} > -\frac{1}{K} , \qquad (3)$$

<sup>1.</sup> A portion of this report was presented as Paper No. G5 at the Third Annual Southeastern Symposium on System Theory at the Georgia Institute of Technology, Atlanta, Georgia, on April 5-6, 1971.




Figure 1. Model of class of nonlinear sampled data systems.

where  $z \equiv e^{Ts}$ , T is the sampling period, and G(z) represents the z-transform of G(s) which is evaluated at  $z = e^{i\omega T}$ , i.e., on the unit circle in the z-plane.

As with continuous systems, the stability requirement on the linear part of the plant can be weakened to include open-loop unstable plants [3]. This is shown through a coordinate transformation,

$$G_{tr}(s) = \frac{G(s)}{1 + \epsilon G(s)} , \qquad (4)$$

where gain  $\epsilon$  is chosen so that the poles of the transformed system open-loop transfer  $G_{tr}(s)$  lie within the unit circle in the z-plane [2]. This is equivalent to requiring the nonlinear function  $\phi(\sigma)$  to lie within the sector  $[\epsilon,k]$  for the original system to be absolutely stable.

In determining the upper bound K of the sector, the real part of G(z) must be determined in some manner. This may be done by plotting G(z) in a complex plane or by analytically determining the real part of G(z) and then finding its minimum value. Either procedure becomes tedious as the order of a system under investigation increases.

#### DESCRIPTION OF PROPOSED ALGORITHM

A systematic means for analytically solving the criterion of equation (3) is provided, as a subsequent development to one suggested earlier by the author in a more primitive form [4]. It is developed in a manner that is particularly amenable to solution by a digital computer or electronic calculator, regardless of the order of the polynomials describing the numerator and

denominator of G(z). It requires only that G(z) be expressed in terms of two polynomials in z; i.e.,

$$G(z) = \frac{\sum_{j=0}^{n} \gamma_{j} z^{j}}{\sum_{j=0}^{n} \eta_{j} z^{j}} .$$
(5)

The criterion of equation (3) may be recast in the form

$$\frac{N_1D_1 + (1 - \beta^2)N_2D_2}{D_1^2 + (1 - \beta^2)D_2^2} > -\frac{1}{K} , \qquad (6)$$

where

$$N_1 = \sum_{j=0}^{n} \gamma_j X_j ,$$

$$N_2 = \sum_{j=0}^{n} \gamma_j Y_j ,$$

$$D_1 = \sum_{j=0}^{d} \eta_j X_j ,$$

$$D_2 = \sum_{j=0}^{d} \eta_j Y_j , \qquad (7)$$

and

$$\beta = \cos \omega T \quad . \tag{8}$$

The terms  $\mathbf{X}_j$  and  $\mathbf{Y}_j$  are developed by means of the recursive relationships,

$$X_{j+1} - 2\beta X_{j} + X_{j-1} = 0$$
 , 
$$Y_{j+1} - 2\beta Y_{j} + Y_{j-1} = 0$$
 , (9a)

where

$$X_0 = Y_1 = 1$$
,

$$Y_0 = 0 \quad ,$$

and

$$X_t = \beta$$
,

or by the alternate recursive relationships,

$$X_{j+1} = \beta X_{j} - (1 - \beta^{2})Y_{j}$$
,  
 $Y_{j+1} = X_{j} + \beta Y_{j}$ . (9b)

See Appendix A for the development of these relationships.

Figure 2 represents a logic diagram demonstrating the ease with which a general program can be established to solve equation (6) for any plant meeting the conditions specified in the introduction. The linear portion of the plant may be of any order as long as it can be expressed in terms of a z-domain open-loop transfer function. See Appendix B for computer program.

### DERIVATION

The derivation of equation (6) from equation (3) is brief. Defining  $\bar{z}$  as

$$\bar{z} = e^{i\omega T}$$
 (10)

it follows that  $\bar{z}^{j}$  may be expressed as

$$\overline{z}^{j} = X_{j} + iY_{j}\sqrt{1 - \beta^{2}}$$
 . (See Appendix A.)

It is apparent from the definition of equation (10) that

$$X_0 = 1$$
 ,  $Y_0 = 0$  ,  $X_1 = \beta$  ,  $Y_1 = 1$  . (12)




Figure 2. Digital computer logic diagram.

One may use equations (12) and the recursion relations of equations (9) to generate values of  $X_j$  and  $Y_j$  for j > 1. Then, equation (11) may be substituted into equation (5), letting  $z = \overline{z}$ ,

$$G(z) \Big|_{z=e^{i\omega T}} = \frac{\sum_{j=0}^{n} \gamma_{j} X_{j} + i \sum_{j=0}^{n} \gamma_{j} Y_{j} \sqrt{1 - \beta^{2}}}{\sum_{j=0}^{d} \eta_{j} X_{j} + i \sum_{j=0}^{d} \eta_{j} Y_{j} \sqrt{1 - \beta^{2}}}.$$
 (13)

Taking the real part of equation (13) yields the left half side of equation (6).

#### **EXAMPLE**

Several examples show how the proposed algorithm is implemented. Consider an integral control servo system [5] shown in Figure 3. The corresponding z-transform of the linear portion of the plant may be put in the form of equation (5) and is described in Table 1. By using Table 1 as an input to the digital program, the left side of inequality (6) may be solved as  $\omega T$  varies in value from zero to  $\pi$  for selected values of T. The results are printed out, and the minimum value of

$$-1/\text{Re}\left\{G(z)\Big|_{z=e}i\omega T\right\}$$

is selected as the maximum value which K may possess. The results, reproduced in Table 2, agree with those of Reference 5. The same algorithm has been used to find stability limits on K for two other examples of Reference 5 (Bertram's example and the integral-control example with digital compensation added). The results have been identical.




Figure 3. Model of integral-control servo system.

TABLE 1. TRANSFER FUNCTION COEFFICIENTS FOR INTEGRAL-CONTROL SERVO SYSTEM

j	$^{\gamma}{}_{ m j}$	$^{\eta}{}_{ m j}$
0	$1 - e^{-T} - Te^{-T}$	e <sup>-T</sup>
1	$T - 1 + e^{-T}$	$-(1 + e^{-T})$
2	0	1

TABLE 2. STABILITY LIMIT ON K

	Sampling Period T				
	1	2	3	4	5
K<	0.666	0.5	0.4	0.333	0.286

### CONCLUSION

A general computer program can be developed to determine the sufficient condition for stability of a class of nonlinear sampled data systems in terms of a sector within which the nonlinearity must lie. The criterion used in developing the computer algorithm is Tsypkin's development of the Popov stability criterion. Work is now in progress to investigate a similar algorithm for Jury's and Lee's [5] less restrictive stability criterion,

$$\operatorname{Re}\left\{G(z)\left[1+q(z-1)\right]\right\} + \frac{1}{K} - \frac{K'|q|}{2} \left|(z-1)G(z)\right|^{2} \leq 0 , \qquad (14)$$

where

$$-\infty \le \frac{\mathrm{d}\phi(\sigma)}{\mathrm{d}\sigma} < \mathrm{K}^{\dagger} \quad ,$$

and q is a real number.

## APPENDIX A<sup>2</sup>

#### DERIVATION OF RECURSION RELATIONSHIP

The two sets of recursive relations, equations (9a) and equations (9b), are developed from the definition of  $\bar{z}$ ,

$$\bar{z} = e^{i\omega T} = \cos \omega T + i \sin \omega T . \qquad (10)$$

Letting

$$\beta = \cos \omega T \quad , \tag{8}$$

z may be rewritten as

$$\bar{z} = \beta + i\sqrt{1 - \beta^2} \quad . \tag{A-1}$$

If  $\bar{z}$  is raised to the  $j^{th}$  power, it may be written as

$$\bar{z}^{j} = e^{ij\omega T} = \cos j\omega T + i \sin j\omega T . \qquad (A-2)$$

Two identities [6] for  $\cos j\omega t$  and  $\sin j\omega t$  may be rewritten in terms of  $\beta$ :

$$\cos j\omega T = 2^{j-1}\beta^{j} - \sum_{p=0}^{\frac{1}{2}(j-3)} (-1)^{p} {j-p-2 \choose p} \left(\frac{j}{p+1}\right) 2^{j-2p-3}\beta^{j-2p-2}$$
(A-3)

and

$$\sin j\omega T = \sqrt{1-\beta^2} \sum_{p=0}^{\frac{1}{2}(j-1)} (-1)^p \binom{j-p-1}{p} 2^{j-2p-1} \beta^{j-2p-1} , \quad (A-4)$$

where p is an integer. If  $\sin j\omega T$  and  $\cos j\omega T$  are defined as

<sup>2.</sup> I am indebted to Mr. Hans Hosenthien, Chief, R&D Analysis Office, Astrionics Laboratory, NASA, Marshall Space Flight Center, for the development of the alternate set of recursive relations of equations (9b).

$$\cos j\omega T \equiv X$$

and

$$\sin j\omega T \equiv Y_j \sqrt{1 - \beta^2} \quad , \tag{A-5}$$

examination of equations (A-3) and (A-4) shows that  $X_j$  and  $Y_j$  are polynomials in  $\beta$ . If equations (A-5) are substituted into equation (A-2), the resulting expression becomes of the form

$$\bar{z}^{j} = X_{j} + iY_{j}\sqrt{1 - \beta^{2}}$$
 (11)

The recursive relations of equations (9a) or (9b) may be derived by writing  $\bar{z}^{j+1}$  as

$$\begin{split} \boldsymbol{\bar{z}}^{j+1} &= \boldsymbol{\bar{z}}^{j} \boldsymbol{\bar{z}} \\ &= \left( \boldsymbol{X}_{j} + i \boldsymbol{Y}_{j} \sqrt{1 - \beta^{2}} \right) \left( \beta + i \sqrt{1 - \beta^{2}} \right) \\ &= \left[ \boldsymbol{X}_{j} \beta - \boldsymbol{Y}_{j} (1 - \beta^{2}) \right] + i \left[ \left( \boldsymbol{X}_{j} + \boldsymbol{Y}_{j} \beta \right) \sqrt{1 - \beta^{2}} \right] \\ &= \boldsymbol{X}_{j+1} + i \boldsymbol{Y}_{j+1} \quad , \end{split}$$

yielding the recursive 'tions

$$X_{j+1} = X_j \beta - Y_j (1 - \beta^2)$$

and

$$Y_{i+1} = X_i + Y_i \beta \quad . \tag{9b}$$

From the definition of  $\bar{z}$ ,

$$X_0 = Y_1 = 1$$
 ,  $Y_0 = 0$  ,  $X_1 = \beta$  . (A-7)

Using equations (9b), one may readily derive equations (9a).

# APPENDIX B DIGITAL COMPUTER PROGRAM DESCRIPTION

The Popov-Tsypkin digital program was written in Fortran IV, and computer runs were made on an SEL 840 digital computer. Using the Tsypkin version of Popov's criterion, the program calculates and prints the negative reciprocal of the real part of the z-domain transfer function representing the linear portion of the plant. Values of the negative reciprocal are calculated for incremental values of the independent argument  $\omega T$  and scanned; the smallest value is selected as the upper bound of the nonlinear (or Popov) sector. The following mathematical model is described, by equations (3) and (6) through (9a) and is the basis for all program calculations (see program symbol table for relations of mathematical symbols and program symbols).

### Program Symbol Table

Math Symbol	Program Symbol	Description
$\dot{\mathbf{x}}_{0}$	X(1)	Initial value for X.
$\mathbf{Y_0}$	Y(1)	Initial value for Y.
$X_1$	X(2)	Initial condition for X.
$\mathbf{Y_i}$	Y(2),	Initial condition for Y.
	AIN	Increment denominator which is divided into RA to form the omega increment value.
	RA	Range value of omega.
	WI	Initial omega.
T	T	T parameter which should be set to 1.0 and associated with $\omega T$ limit values.
Δω	DW	Delta omega which value is used if omega equals 0.

Math Symbol	Program Symbol	Description
d	$\operatorname{ID}$	Upper limit on $D_1$ and $D_2$ summation and has value $d + 1$ .
n	N	Upper limit on $N_1$ and $N_2$ summation and has value $n + 1$ .
K,	KP	Program flag which when set to 0 causes a Popov-Tsypkin run to be made. This relates to a program modification now under development to solve equation (14).

See program inputs for all other values.

### Program Inputs

- Card 1 Reads X(1), Y(1), and Y(2) under a 4F15.8 format. These are the initial X and Y values.
- Card 2 Reads AIN, RA, and WI which are the increment value of omega, the range of omega, and the initial omega. Reads under a 4F15.8 format.
- Card 3 Reads T under an F15. 8 format.
- Card 4 Reads DW, the delta omega value, under an F15.8 format.
- Card 5 Reads ID, the value for d, under an I5 format.
- Card 6 Reads N, the value for n, under an I5 format.
- Card 7 Reads KP, the value which when set to 0 causes the program to make a Popov-Tsypkin run using the initial equations to compute Re {G(Z)} and its negative reciprocal. When KP = 1, the program omits this phase and computes a K' equation set; where KP = 2, the above options are omitted and the program solves a quadratic K equation. For the Popov-Tsypkin option always set KP = 0.

Cards 8 through 11 contain the inputs involving options other than the Popov-Tsypkin equation solutions that were part of the program study and are included in the present version of the program. These inputs are included here only for the programmers information.

- Card 8 Reads IQ, the number of Q elements, under an I5 format.
- Card 9 Reads IK, the number of K elements, under an I5 format.
- Card 10 Reads array Q, containing all values of q, under a 4F15.8 format.
- Card 11 Reads array AK, containing all K elements, under a 4F15.8 format.

### Sample Run Case

The following sample case was run successfully on an SEL 840 digital computer. The appropriate gamma and eta functions listed in Table 1 of the computer printout were used in the Popov-Tsypkin program with the input data listed here and described under the card input data. The input data will always be followed by the printed variable values for T,  $\omega$ T, Re  $\{G(Z)\}$ , and  $K < -1/\text{Re }\{G(Z)\}$ .

```
Co * * * * * * * * * * * * POPOV - ISYPKIN PROGRAM
                                                       **********
      DIMENSION Q(20), AK(20)
                                                                                     2
      DIMENSIAN X(20), Y(20), G(20), E(20)
                                                                                     3
      DIMENSION IALA(20)
                                                                                     4
      TRACE 9999
                                                                                     5
      READ (4,10) X(1),Y(1),Y(2)
                                                                                     6
      READ (4,10) AIN, RA, WI
                                                                                     7
      READ (4,11) T
                                                                                     8
      READ (4,11) DW
                                                                                     9
      READ (4,12) ID
                                                                                    10
      READ (4,12) N
                                                                                    11
      READ (4,12) KP
                                                                                    12
      READ (4,12) 1Q
                                                                                    13
      READ (4,12) IK
                                                                                    14
      READ (4,10) (Q(I),I=1,IQ)
                                                                                    15
      READ (4,10) (AK(I), I=1, IK)
                                                                                    16
      READ (4,120) TALA
                                                                                    17
      FØRMAT (4F15,8)
 10
                                                                                    18
      FORMAT (F15.8)
 11
                                                                                    19
 12
      FORMAT (15)
                                                                                    20
 120
      FORMAT (20A4)
                                                                                    21
      WRITE (5,120) TALA
                                                                                    22
      WRITE (5,20)
                                                                                    23
 20
      FORMAT(5X,10HINPUT DATA//)
                                                                                    24
      WRI^{T}E (5,21) X(1),Y(1),Y(2)
                                                                                    25
 21
      F2RMAT (10X, /HX(1) = ,F10.5,3X, /HY(1) = ,F10.5,3X, /HY(2) = ,F10.5)
                                                                                    26
      WRITE (5,26) AIN, RA, WI
                                                                                    27
      FORMAT (10X, 18HOMEGA INCREMENT = ,F10.5,3x,14HOMEGA RANGE = ,F10.5
                                                                                    28
     1.3x.16H0MEGA INITIAL = .F10.5)
                                                                                    29
      WRITE (5,22) ID
                                                                                    30
 22
      F \otimes RMAT (10X, 4HD = ,15)
                                                                                    31
      WRITE (5,23) N
                                                                                    32
 23
      FARMAT (10X, 4HN = ,15)
                                                                                    33
      WRITE (5,24) T
                                                                                    34
      FØRMAT (10X,4HT = ,F15.8)
 24
                                                                                    35
      WRITE (5,27) DW
                                                                                    36
 27
      FORMAT (10X,14HDELTA OMEGA = ,F15.8)
                                                                                    37
      WRITE (5,500) KP, IQ, IK
                                                                                    38
 500
      FØRMAT (10X,5HKP = ,15,5X,5HTQ = ,15,5X,5HTK = ,15)
                                                                                    39
      WRITE (5,501) (I,Q(1),I=1,1Q)
                                                                                    40
      FØRMAT (10X,2HQ(,12,4H) = ,F10,5)
 501
                                                                                    41
      WRITE (5,502) (1,AK(I),I=1,TK)
                                                                                    42
 502
      FØRMAT (10X,2HK(,12,4H) = ,110,5)
                                                                                    43
      W=0.0
                                                                                    44
C***FORM GAMMA AND ETA FUNCTION
                                                                                    45
      E1=EXP(-[)
                                                                                    46
      G(t) = (1.0-E1)-r*E1
                                                                                    47
      G(2) = I = (1.0 - t1)
                                                                                    48
                                                                                    49
      E(1) = E1
      E(2) = -(1 \cdot 0 + E1)
                                                                                    50
      E(3) = 1.0
                                                                                    51
COMMFORM REAL ROOF FUNCTION
                                                                                    52
      IN=AIN
                                                                                    53
      IC=IN+1
                                                                                    54
      VA=RA/AIN
                                                                                    55
      IF (KP-1) 4010,401,401
                                                                                    56
 4010 CONTINUE
                                                                                    57
```

```
58
     WRITE (5,41)
     FØRMAT (11x,1HT,18x,2HWT,14x,8HRE(G(Z)),4x,23HK LESS THAN -1/RE(G(
                                                                                        59
41
                                                                                        60
    17)))
                                                                                        61
401
     CONTINUE
     IF (KP=1) 39,301,390
                                                                                        62
39
     CONTINUE
                                                                                        63
     DØ 40 1=1,IC
                                                                                        64
                                                                                        65
     A I = 1
     1A#AV#1k=W
                                                                                        66
     IF (W,EQ.0,0) W=DW
                                                                                        67
                                                                                        68
     WT=W#T
                                                                                        69
     B=CØS(WI)
                                                                                        70
     X(2)=B
     IF (ID.LT.3) GØ TØ 410
                                                                                        71
                                                                                        72
     DØ 30 J=3,ID
                                                                                        73
     X(J) = 2.0 + B + X(J-1) - X(J-2)
                                                                                        74
     Y(J)=2,0*B*Y(J=1)~Y(J=2)
                                                                                        75
30
     CONTINUE
                                                                                        76
     CALL SUM (N.ID. IP, X.Y.E.G. AN1, AN2, D1, D2)
                                                                                        7.7
     GØ TØ 300
                                                                                        78
     CONTINUE
410
                                                                                        79
     CALL SUM (N, ID, IP, X, Y, E, G, AN1, AN2, D1, D2)
                                                                                        80
300
     CONTINUE
                                                                                        81
     ANUM=AN1+D1+(1.0-8++2)+AN2+D2
                                                                                        82
     DEM=D1*D1+(1.0*B**2)*D2*D2
                                                                                        83
     RE=ANUM/DEN
                                                                                        84
     REC==1.0/RE
     WRITE (5,31) T.WT, RE.REC
                                                                                        85
                                                                                        86
31
     FORMAT (3x, E15, 8, 5x, E15, 8, 5x, E15, 8, 5x, E15, 8)
                                                                                        87
40
     CONTINUE
                                                                                        88
      GØ 1Ø 4200
                                                                                        89
301
     CONTINUE
                                                                                        90
      DØ 380 IJ=1, IK
     DØ 380 [[=1, [Q
                                                                                        91
                                                                                        92
     DØ 380 [=1.1C
                                                                                        93
      AI=1
                                                                                        94
     W=WI+VA#AI
                                                                                        95
      IF (W.EQ.0.0) W=DW
                                                                                        96
      WT=W#T
                                                                                        97
      B=CDS(WT)
                                                                                        98
      X(2) #B
      8M1=1.0-B
                                                                                        99
                                                                                       100
      850=1.0+8*B
                                                                                       101
      IF (ID.LT.3) GØ TØ 4100
      DØ 3000 J=3.10
                                                                                       102
                                                                                       103
      X(J)=2.0*B*X(J=1)=X(J=2)
      Y(J) = 2 \cdot 0 + B + Y(J - 1) - Y(J - 2)
                                                                                       104
3000 CONTINUE
                                                                                       105
                                                                                       106
      CALL SUM (N.1D. IP, X.Y.E.G. AN1, AN2, D1, D2)
                                                                                       107
      GØ TØ 3111
                                                                                       108
4100 CONTINUE
                                                                                       109
      CALL SUM (N.ID, IP, X, Y, E, G, AN1, AN2, D1, D2)
3111 CONTINUE
                                                                                       110
                                                                                       111
      RK=1.0/AK(IJ)
                                                                                       112
      DBN=AN1 *D1 *#SQ *AN2 *D2
                                                                                       113
      QB=1.0 + Q(II) *BM1
                                                                                       114
      BQ=Q(II) #BSQ
      DN=AN1*D2-AN2*D1
                                                                                       115
```

```
DB=D1*D1+BSQ*D2*D2
                                                                                        116
       TOP=DBN=QB+BQ+DN+RK+DB
                                                                                        117
       AQB=Q(II) *BM1
                                                                                        118
       BN=AN1 *AN1 *BSQ *AN2 *AN2
                                                                                        119
       BØT = AQB * BN
                                                                                        120
       AKP=TOP/BOT
                                                                                        121
       WRITE (5,383) IJ, AK(IJ), II, Q(II), WT, AKP
                                                                                        122
 383
       FØRMAT (3x,2HK(,12,4H) = ,615,8,2x,2HQ(,12,4H) = ,615,8,2x,5HWT =
                                                                                        123
      1,E15.8,2X,7HK PR = .E15.8)
                                                                                        124
 380
       CONTINUE
                                                                                        125
       GØ TØ 4200
                                                                                        126
 390
                                                                                        127
       CONTINUE
       DØ 399 II=1.IQ
                                                                                        128
       DØ 399 I=1.1C
                                                                                        129
                                                                                        130
       1 = 1 A
       W=WI+VA#AI
                                                                                        131
       IF (W.EQ.0,0) W=DW
                                                                                        132
                                                                                        133
       WT=W#T
       B=CØS(WT)
                                                                                        134
       X(2)=B
                                                                                        135
       BM1=1.0-B
                                                                                        136
       BS0=1.0-8*B
                                                                                        137
       IF (ID, LT, 3) GØ TØ 4101
                                                                                        138
       DØ 3001 J=3, ID
                                                                                        139
       X(j)=2.0*B*X(J=1)=X(J=2)
                                                                                        140
       Y(j)=2,0*B*Y(J=1)-Y(J=2)
                                                                                        141
 3001 CONTINUE
                                                                                        142
       CALL SUM (N.ID, IP, X, Y, E, G, AN1, AN2, D1, D2)
                                                                                        143
       GØ TØ 3112
                                                                                        144
  4101 CONTINUE
                                                                                        145
       CALL SUM (N, ID, IP, X, Y, E, G, AN1, AN2, 01, 02)
                                                                                        146
  3112 CØNTINUE
                                                                                        147
       AA=Q(II) +BM1 + (AN1 + AN1 + BSQ + AN2 + AN2)
                                                                                        148
       BB = -(AN1 *D1 + BSQ *AN2 *D2) * (1.0 - Q(II) *BM1)
                                                                                        149
       CC=-(D1*D1+BSQ*D2*D2)
                                                                                        150
       Disc=Sort(BB*BB-4.0*AA*CC)
                                                                                        151
       AK1=(-BB+DISC)/(2.0*AA)
                                                                                        152
       AK2=(-B8-DISC)/(2.0+AA)
                                                                                        153
       WRITE (5,3990) (II,Q(II),AK1,AK2,WT)
                                                                                        154
  3990 \text{ FORMAT} (3X,2HQ(,12,4H) = ,E15,8,5X,5HK1 = ,E15,8,5X,5HK2 = ,E15,8,
                                                                                        155
      15x.5HWT = , \pm 15.8
                                                                                        156
  399
       CONTINUE
                                                                                        157
  4200 CONTINUE
                                                                                        158
                                                                                        159
       WR (TE (5.42)
  42
       FORMAT (25X, 14HCASE COMPLETED)
                                                                                        160
                                                                                        161
       WRITE (5,43)
  43
       FORMAT (1H1)
                                                                                        162
       GØ TØ 1
                                                                                        163
       END
                                                                                        164
PATH
00000
            Q
00050
            AK
            Χ
00120
00170
            γ
00240
            G
            Ë
00310
            IALA
00360
UNRE
            $9999
```

00405	\$1	03523	T\$1003
00576	\$10	SUBR	SUM
13251	AIN	03524	IΡ
03253	RA		
		03325	AN1
03255	WI	03327	ANZ
00601	\$11	0 <b>3</b> 3 <b>31</b>	D1
<b>03257</b>	T	03333	DS
03261	DW	01556	\$300
00604	\$12	03335	ANUM
03263	I D	03337	DEN
03264	N	03341	RE
03265	KP	03343	REC
03266	10	01661	\$31
03267	ĪK	03217	\$4200
03270		02457	
			\$380
03271	T\$1000	03347	L I
006 <b>06</b>	<b>\$12</b> 0	03350	11
00624	\$20	03351	BM1
00647	\$21	03353	BSQ
00/04	\$26	02137	\$4100
00/43	\$22	02112	
			\$3000
00/57	\$23	02156	\$3111
00/73	\$24	03355	RK
01010	\$27	03357	DBN
01036	\$500	03361	QB
01100	\$501	03363	BQ
01136	\$502	03365	DN
03272	W	03367	
			DB
03276	E1	93371	TØP
SHBR	EXP	03373	T\$2001
03300	T\$2000	03375	AQB
03304	IN	03377	BN
03305	IC	03401	BØT
03306	VA	03403	AKP
01266	\$4010	02430	\$385
01316	\$401	03202	<b>\$39</b> 9
01275	541	02/32	54101
01330	<b>\$39</b>	02/05	\$3001
01705	\$301	02/51	\$3112
02502	\$390	03405	AA
	\$40		
01674		03407	88
03310	ΑI	03411	125005
03312	WT	03413	CC
03314	8	03415	DISC
SUBR	CØS	SUBR	SORT
01537	\$410	03421	AK1
01512	\$30	03423	AK2
03316			
	J T = 4 0 0 4	03156	\$3990
03321	T&1001	03226	\$42
03322	T \$ 1 0 0 2	03241	\$43

```
SUBROUTINE SUM (N, ID, IP, X, Y, E, G, AN1, AN2, D1, D2)
                                                                  2
     DIMENSION X(20), Y(20), G(20), E(20)
                                                                  3
                                                                  4
     TRACE 9999
                                                                  5
                                                                   6
      A V1 = 0.0
      ANZ=0.0
                                                                   7
                                                                 ຸ 8
      D1=0.0
      D2=0.0
                                                                   9
      DØ 10 J=1.N
                                                                  10
      AN1=G(J) *X(J) +AN1
                                                                  11
      ANZ=G(J) +Y(J) +ANZ
                                                                  12
      CANTINUE
                                                                   13
 10
       DØ 11 J=1, ID
                                                                   14
       D1=E(J) *X(J) +D1
                                                                   15
       D2=E(J)*Y(J)+D2
                                                                   16
       CONTINUE
                                                                   17
 11
       RETURN
       END
                     ( YMMUU)
            Ν
00000
                     (YMMUU)
            ID
00001
                     (YMMUD)
            X
00003
                     (YMMUD)
             Y
00004
                     (DUMMY)
             E
00005
                     (PUMMY)
             G
00006
                     (YMMUQ)
             AN1
00007
                     (YMMUQ)
             AN2
00010
                     (YMMUU)
             D1
00011
                      (YMMUU)
             DS
 00012
              59999
  UNRF
              $10
 00115
              J
 00212
              T$1000
 00213
              T$1001
 00214
              1$1002
 00215
              $1.1
 00176
```

```
TABLE 1 04/19//1
INPUI DATA
```

```
X(1) = 1.00000 Y(1) = .00000 Y(2) = 1.00000
ØMEGA INCREMENT = 314.00000 ØMEGA RANGE = 3.14000 ØMEGA INITIAL =
                                                                                           .00000
     D. =
     N =
     T =
               1.00000000
     IK =
                  .50000
     Q(2) =
     Q(3) =
                  .40000
     Q(4) =
                  .60000
     Q(5) =
                  .80000
     Q(6) =
                 1.00000
     Q(1) =
                 2.00000
     Q(8) = 10.00000
     Q(9) = 100.00000
                48990
     K(1) =
     K(2) =
                  49000
     K(3) =
                 1.99000
     K(4) =
                 2.00000
                            WΤ
                                            RE(G(Z))
                                                         K LESS THAN -1/RE(G(Z))
                                                              .66674273E 00
                      .10000000E=01
-10000000E 01
                                           -.14998289E 01
                                           -.14993156E 01
                                                                   .66697097E DD
.10000000E 01
                      .20000000E-01
.10000000E 01
                                           -.14984609E 01
                      .30000000E+01
                                                                   .66735141E 00
                                           -.1497265/E 01
.10000000E 01
                      .40000000E-01
                                                                   .66788411E 00
.10000000E 01
                      .50000000E-01
                                           -.14957316E 01
                                                                   .66856916E 00
.10000000E 01
                                           -.14938602E 01
                      .60000000E-01
                                                                   .66940668E 00
.10000000E 01
                      .70000000E-01
                                           -.14916539E 01
                                                                   .67039679E 00
.10000000E 01
                      .80000000E-01
                                           -.14891153E 01
                                                                   .67153967E 00
                                           -.14862474E 01
-.14830535E 01
.10000000E 01
                      .90000000E-01
                                                                   .67283550E 00
.10000000E 01
                     .10000000E 00
                                                                   .67428449E 00
.10000000E 01
                      .11000000E 00
                                           -,14795375E 01
                                                                   .67588689£ 00
                      .12000000E 00
.100000n0E 01
                                           -.14757034E 01
                                                                   .67764296E 00
                                           -.14715556E 01
-.14670989E 01
                     .13000000E 00
.14000000E 00
.10000000E 01
                                                                   .67955299E 00
.10000000E 01
                                                                   .68161730E 00
                      .15000000E 00
.16000000E 00
                                           -.14623385E 01
-.145/2796E 01
.10000000E 01
                                                                   .68383621E 00
.10000000E 01
                                                                   .68621012E 00
.10000000E 01
                                           -.14519288E 01
                      .17000000E 00
                                                                   .68873939E 00
.10000000E 01
                      .18000000E 00
                                           -.14462896E 01
                                                                   .69142447E 00
                      .19000000E 00
.10000000E 01
                                           -.14403706E 01
                                                                   .69426578E 00
                      .20000000E 00
                                           -.14341774E 01
-.14277168E 01
.10000000E 01
                                                                   .69726380E 00
.10000000E 01
                                                                   .70041904E 00
.10000000E 01
                      .22000000E 00
                                           -.14209955E 01
                                                                   .70373201E 00
                      .23000000E 00
.24000000E 00
.25000000E 00
.10000000E 01
                                           -.14140206E 01
                                                                   .70720326E 00
                                           -.14067994E 01
-.13993394E 01
.10000000E 01
                                                                   .71083339E 00
.10000000E 01
                                                                   .71462298E 00
                      .26000000E 00
.27000000E 00
                                           -.1391647/E 01
-.13837323E 01
.10000000E 01
.10000000E 01
                                                                   .71857267€ DO
                                                                   .72268314E 00
.10000000E 01
                      .28000000E 00
                                           -.13756009E 01
                                                                   .72695505E 00
                                           -.136/2612E 01
-.13587212E 01
.10000000E 01
                      .29000000E 00
                                                                   .73138914E 00
.10000000E 01
                      .30000000E 00
                                                                   .73598614E 00
                                           -.13499889E 01
-.13410722E 01
.10000000E 01
                      .31000000E 00
                                                                   .74074683E 00
,10000000E 01
                      .32000000E 00
                                                                   .74567201E 00
.10000000E 01
                      .33000000E 00
                                           -.13319791E 01
                                                                  .75076251E 00
```

```
.10000000E 01
                      .34000000E 00
                                           -.1322717/E 01
                                                                   .75601919E 00
.100000na0E 01
                      .35000000E 00
                                           -.13132960E 01
                                                                   .76144295E 00
.10000000E 01
                                                                   .76703470E 00
                      .36000000E 00
                                            -,1303722UE
                                                        01
.10000000E 01
                                                                   .77219540E 00
                      .37000000E 00
                                           -.12940036E 01
                                                                   .77872602E 00
.10000000E 01
                      .38000000E 00
                                            -.1284148/E
                                                         01
.100000000E 01
                      .39000000E 00
                                            -.12741652E
                                                                   .78482/57E 00
                                                         01
.10000000E
           01
                      .40000000E 00
                                            -.12640609E
                                                         01
                                                                   .791101116
                                                                               0.0
.10000000E 01
                                                                   ,79754769E
                      .41000000E
                                            -.12538435E
                                  0.0
                                                         n 1
                                                                               00
.10000000E
                      .42000000E
            0.1
                                            -.12435206E
                                                                   .80416844E
                                                                               0.0
                                  0.0
                                                         01
.10000000E
                                            -.12330996E
                                                                   .81096448E
            01
                      .43000000E
                                  00
                                                         01
                                                                               00
,10000000E
            01
                      .44000000E
                                            -.12225881E
                                                                   ,81793699É
                                                                               00
                                  0.0
                                                         01
.10000000E
            01
                      .45000000E
                                  0.0
                                            -.12119931E
                                                         01
                                                                   .82508718E
                                                                               00
                                                                   .83241627E
.10000000E
            01
                      .46000000E
                                  00
                                            -.12013220E
                                                         01
                                                                                00
                                                                   .83992555E
.10000000E
            01
                      .47000000E
                                  0.0
                                            -.1190581/E
                                                         01
                                                                                0.0
.10000000E 01
                      .48000000E 00
                                            -,11797791E
                                                                   .84761631E 00
                                                         01
.10000000E 01
                      .49000000E
                                            -,11689209E
                                                                   .85548990E
                                  ກບ
                                                         01
                                                                               00
.100000000E 01
                      .50000000E 00
                                            -.11580136E
                                                         01
                                                                   .86354769E 00
.10000000E
            01
                      .51000000E
                                            -.11470638E
                                                                   .87179110E 00
                                  0.0
                                                         01
.10000000E
            01
                      .52000000E
                                  0.0
                                            -.11360776E
                                                                   .88022156E
                                                                                00
                                                         11
.100000n0E 01
                      .53000000E
                                            -.11250611E
                                                                   .88884058E
                                  00
                                                         01
                                                                                0.0
,10000000E
                      .54000000E
                                            -.11140204E
                                                                   .89764965€
            01
                                  00
                                                                                00
                                                         01
.10000000E
                                                                   .90665036E
                      .55000000E
            01
                                   Λü
                                            -.1102961UE
                                                                                00
                                                         N 1
.10000000E
                                                                   ,91584428E
            01
                      .56000000E
                                            -.1091888/E
                                  00
                                                         01
                                                                                00
.10000000E
            01
                      .57000000E
                                   00
                                            -.10808083E
                                                         01
                                                                   .92523306E
                                                                                00
.100000000E
            01
                      .58000000E
                                            -. 10697265E
                                                                   .93481837E
                                   0.0
                                                         01
                                                                                00
.10000000E
            01
                      .59000000E
                                  0.0
                                            -.1058647HE
                                                         01
                                                                   .94460192E
                                                                                00
                                                                   ,95458548E
.10000000E 01
                      ,60000000E
                                  0.0
                                            -.104/5751E
                                                        n 1
                                                                               00
.10000000E 01
                                                                    .96477084E
                      .61000000E 00
                                            -.10365156E
                                                         01
                                                                               0.0
                                                                   ,97515983E 00
.10000000E 01
                      .62000000E 00
                                            -.10254729E
                                                         01
,10000000E 01
                                            -.10144515E
                      .63000000E
                                  00
                                                         01
                                                                    ,98575433E 00
.10000000E 01
                      .64000000E
                                  0.0
                                            -.10034556E
                                                         01
                                                                    .99655628E 00
.100000000E 01
                      .65000000E
                                  0.0
                                            -.99248921E
                                                         00
                                                                    .10075676E 01
                                                                   .10187904E 01
,10000000E 01
                                            -.9815561/E
                      .66000000E
                                  0.0
                                                         00
.10000000E 01
                                                                    .10302266E 01
                      .6700000BE
                                  00
                                            -.97066021E
                                                         00
.10000000E 01
                      .68000000E
                                            -.95980486E
                                                                    .10418785E 01
                                   0.0
                                                         0.0
.10000000E 01
                                                                    .10537480E 01
                      .69000000E
                                   00
                                            -.94899350E
                                                         00
.10000000E 01
                       .70000000E
                                            -.93822936E
                                                                    .10658375E 01
                                   00
                                                         00
.10000000E 01
                                            -.92751550E
                                                                    .10781491E
                      .71000000E
                                   00
                                                         00
                                                                               01
,10000000E 01
                      .72000000E
                                   00
                                            ₩.91685485E
                                                         0.0
                                                                    .10906852E
                                                                                01
.100000000E
           01
                      .73000000E
                                   0.0
                                            -.90625016E
                                                         00
                                                                    .11034481E
                                                                               01
.10000000E
           01
                      .74000000E
                                   00
                                            -,8957040/E
                                                         0.0
                                                                    .11164402E 01
.10000000E 01
                       .75000000E
                                   no
                                            -.88521905E
                                                                    .11296639E 01
                                                         00
.10000000E 01
                       .76000000E 00
                                            -.874/9744E
                                                         CO
                                                                   .11431218  01
.100000000 01
                      .77000000E
                                   00
                                            -.86444146E
                                                         00
                                                                    .11568163E 01
.10000000E 01
                      .78000000E
                                   0.0
                                            -.85415318E
                                                         00
                                                                    .11707502E
                                                                                01
.10000000E 01
                      .79000000E
                                   0.0
                                            -.84393456E
                                                         00
                                                                    .11849260E
                                                                                01
                                                                    ,11993465E
.10000000E 01
                      .80000000E
                                            -.833/8741E
                                                         00
                                                                                01
                      .81000000E
.10000000E 01
                                   0.0
                                            -,82371344E
                                                                    ,12140144E
                                                         n o
                                                                                01
                                                                    .12289326E
.10000000E 01
                       .82000000E
                                            -.81371425E
                                   0.0
                                                         00
                                                                                01
.10000000E 01
                                            -.80379131E
                                                                    .12441040E
                       .83000000E
                                   00
                                                         00
                                                                                0.1
                       .84000000E
.10000000E 01
                                   0.0
                                            -.79394599E
                                                                    .12595315E
                                                         00
                                                                                01
.10000000E
                       .85000000E
                                            -, 78417955E
                                                                    .12752182E
           01
                                   00
                                                         00
                                                                                01
                       .86000000E
                                                                    .12911670E
.10000000E
            01
                                   0.0
                                            -.77449314E
                                                         00
                                                                                01
,10000000E
            01
                       .87000000E
                                   00
                                            -.76488785E
                                                         00
                                                                    .13073812E
                                                                               01
.10000000E
                       .88000000E
           01
                                   0.0
                                            -. 75536462E
                                                         nn
                                                                    .13238640€
                                                                               01
.10000000E 01
                      .89000000E
                                                                    .13406186E
                                            -.74592433E
                                  0.0
                                                         0.0
                                                                               01
.10000000E 01
                       .90000000E 00
                                            -,73656779E
                                                         00
                                                                    .13576483E 01
                                            -.72729568E 00
.100000000E 01
                       .91000000E 00
                                                                    .13749566E 01
```


						_	
.100000000E	01	.92000000E	0.0	-,71810864E	00	.13925470E	01
.10000000E	01	.93000000E	0.0	70900720E	00	.14104229E	01
			= :				-
.10000000E	01	.9400000UE	0.0	-,69999184E	<b>0</b> 0	.14285881E	01
.10000000E	0 1	.95000000E	00	69106296E	00	.14470462E	01
.10000000E	01	.96000000E	0.0	68222089E	00	.14658009E	01
			-		_		
.10000000E	01	.9700J0 <b>0</b> 0E	00	67346590E	<b>0</b> 0	.14848562E	01
.10000000E	01	.98000000E	0.0	66479818E	00	.15042159E	01
.10000000E	01	.99000000E	00	65621789E	0.0	.15238841E	01
.10000000E	01	.10000000E	01	-,647/2511E	00	.15438648E	01
.10000000E	01	.1010000GE	01	6393198/E	00	.15641622E	01
.100000000E	0.1	.10200000E	01	63100216E	0.0	.15847806€	01
.10000000E		.10300000E		-,622/7198E	-		
	01		01		00	.16057243E	01
.100000ggb	01	.10400000E	01	-,61462899E	00	.16269978E	01
.10000000E	0.1	.10500000E	01	60657326E	0.0	.16486055E	01
	-		-				
-10000000E	01	.10600000E	01	59860452E	0 U	.16705520E	01
.100000000E	01	.10700000E	01	⊶.59n/2253E	00	.16928422E	01
,10000000E	01	.10800000E	01	58292700E	00	.1715480/E	01
					-		
.10000000E	01	.10900000E	01	5/521764E	00	.17384724E	01
.10000000E	01	.11000000E	01	56759408E	00	.17618225E	01
.100000n0E	01	.11100000E	0.1	-,56005597E	0.0	.1/855358E	01
.10000000E							
	01	-11200000E	01	55260288E	00	.18096178E	01
.100000000E	0.1	.11300000E	01	54523439E	00	.18340736E	01
.10000000E	0.1	.11400000E	01	53795004E	00	.18589087E	01
.10000000E	01	.11500000E	01	530/4934E	00	.18841286E	01
			*				
.100000000E	01	.11600000E	01	-,52 <b>363</b> 179E	0.0	.19097389E	01
.10000000E	01	.11700000E	01	51659686E	00	.19357454E	01
.10000000E	01	.11800000E	01	50964399E	0.0	,19621540E	01
.100000000E	01	.11900000E	01	50277264E	00	.19889706E	01
.10000000E	01	.12000000E	01	49598220E	0 0	.20162014E	01
.10000000E	01	.12100000E	01	48927209E	<b>0</b> Q	.20438525E	01
.10000000E	01	.12200000E	01	48264169E	00	.20719304E	01
	7		-				
.100000n0E	01	.12300000E	01	4/609038E	0 0	.21004415E	01
.100000000E	0.1	.12400000E	01	-,46961752E	00	,21293925	01
.100000n0E	01	.12500000E	01	46322245E	0.0	.21587900E	01
.10000000E	01	.12600000E	01	45690453E	00	.21886410E	01
	-				-		
.100000000E	01	.12700000E	01	45066308E	00	.22189526E	01
.10000000E	01	.12800000E	01	-,44449743E	0.0	.22497318E	01
.100000n0E	01	.12900000E	01	43840689E	00	,22809860E	01
			-				
.100000000E	0 i	.13000000E	01	43239078E	0.0	.23127228E	01
.100000000E	01	.13100000E	01	42644840E	00	,23449496E	01
.100000n0E	0.1	.13200000E	01	42057905E	00	,23776743E	01
,100000000E	0.1	.13300000E	01	414/8204E	00	.24109048E	01
					•		
.100000000E	0[1	.13400000E	01	-,40905664E	<b>0</b> U	.24446492E	01
.10000000E	01	.13500000E	0 L	-,4034021/E	<b>0</b> 0	.24789158E	01
.10000000E	01	.13600000E	01	-,39781789E	0.0	.25137130E	01
***					-		
.100000000E	01	.13700000E	01	→ .39230312E	00	.25490493E	01
,100000000E	01	.13800000E	01	-,33685712E	<b>0</b> U	.25849337E	01
.10000000E	0 1	.13900000E	01	-,38147919E	0.0	,26213750E	01
			<del>-</del> :			-	7.
.10000000E		.140000000	01	37616861E	00	.26583824E	01
.100000000	01	.14100000E	01	37092468E	00	.26959651E	01
.10000000E	01	,142000009E	01	365/4668E	00	,27341328E	01
.10000000E	01	.14300000E	01	3606339UE	00	.27728951E	01
			•		I		
.10000000E	0 1	,14400000E	01	35558565E	00	.28122620E	01
.100000000E	01	.14500000E	01	35060120E	00	.28522435€	01
.10000000E	0.1	.14600000E	01	3456798/E	00	.28928499E	01
-	_		-				
.100000000	01	.14700000E	01;	34082095E	00	-29340919E	01
.10000000E	0.1	.1480000UE	01	33602375E	00	.29759801E	01
.10000000E	0.1	.14900000E	01	-,33128758E	<b>0</b> 0	.30185255E	01
			i	<del>_</del>	-		


.10000000E	01	,15000000E	01	32661175E	00	.30617392E	01
.10000000E	01	.1510000UE	01	3219955/E	00	.31056328E	01
.10000000E	01	.15200000E	01	∞.31743837E	00	.315021788	01
.100000000E	01	.15300000E	01	31293948E 30849821E	00	.31955061E	01
.100000000E	01	,15500000E	01	30411392E	00	.328824148	01
.10000000E	01	.15600000E	01	29978595E	00	.33357134E	01
.10000000E	01	.15700000E	01	~.29551363E	00	.33839387E	01
,10000000E	01	.15800000E	01	29129632E	00	.34329304E	01
.100000n0E	01	.1590000UE	01	28713338E	00	.34827020E	01
.100000000E	01	.16000000E	01	28302418E	00	.35332671E	01
.100000000	01	.16100000E	01	27896807E	00	.35846396€	01
.10000000E	01	.1620000UE	01	-,2/49644DE	00	,36368338E	01
.100000000E	01	.16300000E	01	∞.27101268E	00	.36898642E	01
.10000000E	01	.16400000E	01	26711210E	0 0	,37437456E	01
.100000000E	01	.16500000E	01	26326229E	00	.37984931E	01
-10000000E	01	.16600000E	01	~,25946245E	0 0	.38541221	01
.10000000E	01	.16700000E	01	255/1208E	00	.39106482E	01
.1000000E	0.1.	.16800000E	01	2520105/E	00	,39680876E	01
.1000000008	01	.16900000E	01	24835733E	00	,40264565E	01
.100000000E	01	.17000000E	01	,24475181E	00	40857716	01
.100000000	01 01	.17200000E	01 01	24119344E 23768165E	00	.41460498E .42073084E	01
.100000000E	01	.17300000E	07	-,23421589E	00	,42695652E	01
.10000000E	01	.17400000E	01	230/9561E	00	.43328381	01
.10000000E	01	.17500000E	01	2274202/E	00	.43971454E	01
.10000000E	01	.17600000E	01	2240893>E	00	.44625057E	01
.10000000E	01	.17700000E	01	22080231E	00	45289382E	01
.10000000E	01	.17800000E		-,21755862E	00	,45964622E	01
.10000000E	01	.17900000E	01	~.21435779E	00	.46650975€	01
,10000000E	01	.18000000E	01	-,21119939E	<b>0</b> 0	.47348642E	01
.10000000E	01	.18100000E	01	20808264E	00	.48057828E	01
.100000000E	01	.18200000E	01	20500734E	00	.48778742E	01
.10000000E	01	.18300000E	01	-,20197289E	00	.49511596E	01
.10000000E	01	.18400000E	01	19897881E	00	.50256607E	01
.100000000	01	.18500000E	01	19602464E	00	.51013995E	01
.10000000E	01	.18600000E	01	→.19310990E	0 0	.51783984E	01
.10000000E	01	.18700000E	01	19023413E	00	.52566802E	01
.10000000E	01	.188900000	01	18739688E	00	,533626828	01
,10000000E	01 01	.18900000E	01	18459769E 18183613E	0 0 0 0	.54171859E	01 01
.10000000E	01	.19100000E	01	1/911175E	00	.55831067E	01
.10000000E		.19200000E	01	*.17642412E	-	.56681591E	01
.10000000E	01	.19300000E		173/7283E	00	.57546396E	01
.1000000UE	01	.19400000E	01	1711574>E	00	.58425737€	01
.10000000E	01	.19500000E	01	16857756E	00	.59319875E	01
.10000000E	01	.196000008	01	1660327/E	00	.60229073E	01
.100000000E	01	-19700000E	01	1635226/E	0 0	.61153599E	01
.10000000E	01	.19800000E	01	-,1010468/E	00	.62093724E	01
.100000000E	01	.1990000UE	01	15860498E	00	.63049724E	01
.100000000E	01	.20000000E	01	15619661E	00	,64021877E	01
.100000000	01	.201000000	01	15382136E	00	.650104675	01
.10000000E	01	.2020000DE	01	15147894E	00	.66015779E	01
.10000000E	01	.20300000E	01	~.1491689∜E	00	.670381045	01
.10000000E	01	.20400000E	01	14689091E	00	.68077734E	01
.100000000E	01 01	.205000000E	01	14464461E 14242965E	00	.69134966E ,70210100E	01
.100000000	01	.20700000E	01 n1	14024567E	00	.71303437E	01 01
. * 0 0 0 0 0 0 0 C	Ų k	• ~ 0 / 0 0 0 0 0 0 5	1) 4	1 TULT JUTE	U V	* \ TO O O A O \ E	υŢ


.10000000E 01 .10000000E 01	.20800000E 01		.72415284E 01 .73545949E 01
.10000000E 01	.21000000E 01	13387644E 00	.74695740E 01
.10000000E 01 .1000000E 01	.21100000E 01		.75864972E 01
.10000000E 01 .10000000E 01	.21200000E 01 .21300000E 01		.77053958E 01 .78263015E 01
.10000000E 01	.21400000E 01		.79492459E 01
.10000000E 01	.21500000E 01		.80742609E 01
.10000000E 01 .10000000E 01	,21600000E 01		.82013783E 01 .83306302E 01
.10000000E 01	.21800000E 01	_	.84620482E 01
,10000000E 01	.21900000E 01		,85956643E 01
.10000000E 01	.22000000E 01		.87315102E 01
.10000000E 01 .10000000E 01	.22100000E 01		.88696173E 01 .90100170E 01
.10000000E 01	.22300000E 01	_	.91527402E 01
.10000000E 01	.22400000E 01		.92978176Ē 01
.10000000E 01	.22500000E 01		.94452793E 01
.10000000E 01 .10000000E 01	.22600000E 01		.95951551E 01 .97474739E 01
,10000000E 01	.22800000E 01		.99022643E 01
.10000000E 01	.22900000E 01	and the same of th	.10059554E 02
.19000000E 01	.23000000E 01		.10219369E 02
.10000000E 01	.23100000E 01		.10381736£ 02 .10546679£ 02
.10000000E 01	.23300000E 01	· · · · · · · · · · · · · · · · · · ·	.10714222E 02
,10000000E 01	.23400000E 01		.10884387E 02
.10000000E 01	.23500000E 01		.11057194E 02
.10000000E 01 .10000000E 01	.23600000E 01	* * * * * * * * * * * * * * * * * * * *	.11232662E 02 .11410809E 02
.100000000 01	.23700000E 01	the state of the s	.11410809E 02 .11591650E 02
.10000000E 01	.2390000GE 01		.11775198E 02
.10000000E 01	.24000000E 01		.11961463E 02
,10000000E 01	.24100000E 01		.12150455E 02
.10000000E 01 .10000000E 01	.24200000E 01		.12342179E 02 .12536638E 02
.10000000E 01	.24400000E 01		.12733831E 02
.10000000E 01	.24500000E 01	77317063E=01	.12933756E 02
.100000006 01	.24600000E 01		.13136404E 02
.100000000E 01 .10000000E 01	.24700000E 01		.13341766E 02 .13549827E 02
.10000000E 01	.24900000E 01		.13760567E 02
.10000000E 01	.25000000E 01	71561664E-01	.13973962E 02
.10000000E 01	.25100000E 01		.14189985E 02
.10000000E 01	.25200000E 01		.14408602E 02 .14629774E 02
.100000000E 01 .10000000E 01	.25300000E 01		.14629774E 02 .14853455E 02
.10000000E 01	.25500000E 01		15079596E 02
.10000000E 01	.25600000E 01		.15308140E 02
.10000000E 01	.25700000E 01		.15539022E 02
.10000000E 01 .10000000E 01	.25800000E 01		.15772173E 02 .16007515E 02
,10000000E 01	,26000000E 01		.16244962E 02
.10000000E 01	.26100000E 01	60663338E-01	.16484421E 02
.10000000E 01	.26200000E 01		.16725791E 02
.10000000E 01	.26300000E 01		.16968962E 02 .17213815E 02
,10000000E 01			* 1 / C 1 170 1 / L 11 C


.10000000E 01	.26600000E 01	56471496E≈01	.17708049E 02
.10000000E 01	.26700000E 01	55688140E-01	.17957145E 02
.10000000E 01	.26800000E 01	54922857E -01	,182073568 02
.10000000E 01	.26900000E 01	~.541/5542E≈01	.184585148 02
.10000000E 01	.27000000E 01	53446088E-01	.18710443E 02
.10000000E 01	.27100000E 01	52734394E-01	.18962956E 02
,10000000E 01	.27200000E 01	52040359E-01	.19215855E 02
.10000000E 01	.2730000UE 01	~.51363888E~01	.19468931E 02
.10000000E 01	.27400000E 01	5070488>E-01	.19721965E 02
.10000000E 01	.27500000E 01	5006326UE-01	.19974728E 02
.10000000E 01	.27600000E 01	49438922E-01	.20226978E 02
.10000000E 01	.27700000E 01	48831784E-01	.20478465E 02
.10000000E 01	.27800000E 01	~.48241763E~01	.20728927E 02
.10000000E 01	.27900000E 01	-,47668776E-01	.20978092E 02
,10000000E 01	.28000000E 01	-,47112745E~01	.21225679£ 02
.10000000E 01	.28100000E 01	465/3592E-01	.21471395E 02
.100000000 01	.28200000E 01	46051242E-01	.21714941E 02
.1000000000 01	.28300000E 01	45545623E-01	.21956006E 02
.10000000E 01	.28400000E 01	4505666/E-01	.221942745 02
.10000000E 01	.28500000E 01	-,44584304E≈01	.22429418E 02
.10000000E 01	.2860000E 01	~,44128471E~01	.22661107 02
.10000000E 01	.28700000E 01	~.43689103E~01	.22889003E 02 .23112761E 02
.10000000E 01	.28800000E 01	*.43266142E=01	
.10000000E 01 .10000000E 01	.28903000E 01 .2900000E 01	42859529E-01 4246920/E-01	.23332034E 02 .23546472E 02
.10000000E 01 .10000000E 01	.29000000E 01 .29100000E 01	-,42095124E-01	.23755720E 02
.10000000E 01	.29200000E 01	41737228E-01	,23959425E 02
.10000000E 01	.29200000E 01	41395470E-01	.24157233E 02
.100000000E 01	.29400000E 01	41069803E-01	.24348790E 02
.100000000E 01	.29500000E 01	40760183E-01	.24533746E 02
.100000000 01	.29600000E 01	40466568E-01	.24711757E 02
.10000000E 01	.2970000nE 01	40188916E=01	.24882482E 02
.10000000E 01	.29800000E 01	39927191E-01	.25045589E 02
.10000000E 01	.29900000E 01	39681356E-01	.25200751E.02
.10000000E 01	.30000000E 01	39451379E-01	.25347657E 02
.100000008 01	.30100000E 01	39237227E-01	.25486001E 02
.10000000E 01	.30200000E 01	39038871E-01	.25615495E 02
.1000000008 01	.30300000E 01	38856285E≈01	.25735862E 02
.10000000E 01	.30400000E 01	38689444E-01	.25846843E 02
.10000000E 01	.30500000E 01	-,3853 <b>8</b> 324E-01	.25948196Ë 02
.10000000E 01	.30600000E 01	38402906E-01	.26039696E 02
.10000000E 01	.30700000E 01	38283170E-01	.26121139E 02
.10000000E 01	.30800000E 01	38179101E-01	.26192340E 02
.10000000E 01	.30900000E 01	38090685E-01	.26253138E 02
.10000000E 01	.3100000E 01	38017908E-01	.263033935 02
.10000000E 01	.31100 <b>00</b> 0E 01	37960762E-01	.26342990€ 02
.10000000E 01	.31200000E 01	37919239E∞01	.26371837E 02
.10000000E 01	.31300000E 01	-,37893333E-01	.26389866E 02
.10000000E 01	.31400000E 01	37883041E-01	·26397036E 02
.100000008 01	.31500000E 01	-,3/888360E-01	,26393330E 02
	CASE COMPLETED		


#### POPOV - TSYPKIN MAIN PROGRAM FLOW DIAGRAM











#### REFERENCES

- 1. Tsypkin, Y. Z.(J. S. Zypkin): Die Absolute Stabilitat Nichtlinear Impulsregelsysteme. Regelungstechnik, No. 4, April 1963, pp. 145-192.
- 2. Lindorff, D. P.: Theory of Sampled-Data Control Systems. John Wiley & Sons, Inc., New York, 1965, pp. 253-258, 294-297.
- 3. Siljak, D. D.: Nonlinear Systems. John Wiley & Sons, Inc., New York, 1969, pp. 331-333.
- 4. Seltzer, S. M.: Sampled Data Control System Design in the Parameter Plane. Proceedings of the Eighth Annual Allerton Conference on Circuit and System Theory, IEEE Catalogue No. 70 C42-CT, Monticello, Illinois, October 7-9, 1970.
- 5. Jury, E. I.; and Lee, B. W.: On the Stability of Certain Class of Nonlinear Sampled Data Systems. IEEE Trans. on Automatic Control, AC-9, No. 1, January 1964, pp. 51-61.
- 6. Ryshik, I. M.; and Gradstein, I. S.: Tables of Series, Products, and Integrals. Deutscher Verlag der Wissenschaften, Berlin, 1963, p. 28.

# AN ALGORITHM FOR SOLVING THE POPOV CRITERION APPLIED TO SAMPLED DATA SYSTEMS

#### By S. M. Seltzer

The information in this report has been reviewed for security classification. Review of any information concerning Department of Defense or Atomic Energy Commission programs has been made by the MSFC Security Classification Officer. This report, in its entirety, has been determined to be unclassified.

This document has also been reviewed and approved for technical accuracy.

HANS H. HOSENTHIEN

Hans & Nosen Hele

Chief, Research and Development

Analysis Office

3.B. Moore

F. B. MOORE

Director, Astrionics Laboratory

IN	T	$\mathbf{E}\mathbf{I}$	3N	Α	L

DIR

PD-DIR

Dr. Murphy

PD-DO-DIR

Dr. Thomason

PD-DO-E

Mr. Schultz

S&E-DIR

Mr. Weidner

Mr. Richard

S&E-AERO-DIR

Dr. Geissler

Mr. Horn

S&E-AERO-D

Dr. Lovingood

Dr. Worley

S&E-AERO-G

Mr. Baker

S&E-ASTR-DIR

Mr. Moore

Mr. Powell

S&E-ASTR-A

Mr. Hosenthien

Dr. Borelli

Dr. Nurre

Dr. Clarke

Mr. Kennel

Mr. Jones

Dr. Seltzer (25)

S&E-ASTR-A

Mr. von Pragenau

Mr. Carroll

Mr. Daniel

Miss Flowers

S&E-ASTR-G

Mr. Mandel

Dr. Doane

Dr. Campbell

S&E-ASTR-M

Mr. Boehm

S&E-ASTR-S

Mr. Wojtalik

Mr. Brooks

Mr. Scofield

Mr. Chubb

Mr. Justice

Mr. Vallely

S&E-ASTR-ZX

S&E-CSE-DIR

Dr. Haeussermann

AD-S

A&TS-MS-H

A&TS-MS-IL (8)

A&TS-MS-IP (2)

A&TS-PAT

Mr. L. D. Wofford, Jr.

A&TS-TU

Mr. Winslow (15)

DEP-T

PM-PR-M

#### DISTRIBUTION (Concluded)

#### EXTERNAL

University of Santa Clara Electrical Engineering Department Santa Clara, California 95053 Attn: Dr. Drago Siljak

Scientific and Technical Information Facility (25) P. O. Box 33 College Park, Maryland 20740 Attn: NASA Representative (S-AK/RKT)

National Aeronautics and Space Administration Washington, D. C. 20546 Attn: Mr. Carl Janow, REG

University of California 4731-D Boelter Hall Los Angeles, Calif. 90024 Attn: Prof. Peter Likins

National Aeronautics and Space
Administration
Washington, D. C. 20546
Attn: Mr. Melvin F. Markey, MTG
Mr. Jerome Malament, MTG